	Type	L #	Hits	Search Text	DBs
1	BRS	L1	47	(Wang adj Jianxin).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	2486	((back$3 adj3 up) OR restor$3 OR recover$3) same (server OR network) same snapshot$1 ((Extended NEAR3 Copy) OR E-Copy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	608	@ad<"20010706" and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	5833259	Workstation$1 OR terminal$1 OR client$1 OR user$1 OR (work-station$1) OR (work ADJ station$1 OR host$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	2058667	Backup OR back-up$3 OR (back ADJ up) OR (recorver$3) OR mirror$3 OR replicat$3 OR restor$3 OR reconstruct$3 OR rebuild$3 OR rebuilt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	6158046	(mover$3 OR transfer$4 OR transmit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	578585	L4 L5 L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	2893	(backup OR restor$3 OR recover$3) same (server OR network) same snapshot$1 ((Extended NEAR3 Copy) OR E-Copy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	317237	(backup OR restor$3 OR recover$3) AND (server OR network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	11828	(backup OR restor$3 OR recover$3) AND (server OR network) AND snapshot$1 ((Extended NEAR3 Copy) OR E-Copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	2266	(backup OR restor$3 OR recover$3) same (server OR network) same snapshot$1 ((Extended NEAR3 Copy) OR E-Copy) AND (period OR interval OR (predetermined NEAR2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	1505	(backup OR restor$3 OR recover$3) same (server OR network) same snapshot$1 ((Extended NEAR3 Copy) OR E-Copy) same (period OR interval OR (predetermined NEAR2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	519	L12 and @ad < "20031215"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	10406	(backup OR restor$3 OR recover$3) AND (server OR network) AND snapshot$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	11828	(backup OR restor$3 OR recover$3) AND (server OR network) AND snapshot$1 ((Extended NEAR3 Copy) OR E-Copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	459	backup and (data adj mover$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L17	1809	L7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	272	@ad<"20010706" and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L20	1116	711/161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
20	BRS	L21	104	L20 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L22	3436	711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L24	2370	711/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L26	1021	717/127.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
24	BRS	L27	211	L26 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L28	3092	714/6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L29	1880	L28 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L31	3468	707/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
28	BRS	L32	22	L31 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L33	38	707/1-10,100-102,104.1,200-205.ccls. and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L23	92	L16 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L25	5	L24 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
32	BRS	L30	14	L28 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L19	126	@ad<"20010706" and L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB